

Ex 892EP
cop. 2

THE · EXTENSION PATHOLOGIST

A NEWS LETTER FOR EXTENSION WORKERS INTERESTED IN PLANT DISEASE CONTROL

SERIAL NO. 42

I N D E X*

DECEMBER, 1942

SERIAL NUMBERS 1 TO 48 INCLUSIVE
APRIL 1932 TO APRIL 1942

This general index has been prepared according to subject, author, and State. The first numeral represents the serial number of the publication, and the second numeral, the page.

---0---

Agricultural adjustment program and plant pathology, 10:3

Alabama, mosaic-resistant sugarcane, 12:24, 18:81

Alfalfa:

Diseases:

key to, 45:26

paper on, presented at APS meeting 1940, 45:14

problems in California, 38:53

suggestions for taking notes in nurseries, 45:24

Wilt-resistant Hardistan, Nebraska, 18:81

Apple:

Cost of handling culls, Oregon, 9:47

Fire-blight:

epidemiology, 41:25

control by spraying, North Carolina, 3:24, South Carolina, 12:23

report of conference, Columbus, Ohio, 1939, 41:13

Fruit-spot control, Ohio, 3:23

Ninety percent clean apple club, Massachusetts, 12:22

Pest eradication, Massachusetts, 10:5

Scab:

examination of leaves for fungus, Ohio, 32:6

occurrence when different sprays are omitted, New York, 33:32

Spray:

tests, New York, 6:20; Ohio, 6:20

service in Massachusetts, 7:25; Pennsylvania, 7:26, 15:58

Arizona extension project set up, 35:9


Asparagus rust, 46:34

BALL, Geo. J., Jr. About one of "Doc" Gregory's schools, 46:37

BARIBEAU, B. Tuber indexing for detection and control of potato ring rot, 40:3

*In December 1937 an index (Serial No. 31) was issued covering serial numbers 1 to 30 of The Extension Pathologist. The present index includes all that No. 31 included, as well as material in the subsequent numbers, 32-48.

1485-42



Barley:

Blighted:

conference on, Iowa, 9:42
feeding to livestock, 20:101
grades for, 6:19
receipts of, 9:43

Improvement meeting, St. Paul, 19:87; meetings in Minnesota, 12:22

Seed treatment:

with dust, Maryland, 2:17; New York, 20:102; Pennsylvania, 15:59
with hot water, Wisconsin, 29:44; Oklahoma, 43:49

BARRUS, M. F.

Changes in potato spray recommendations, New York, 1933, 7:26
Message from New York, 1:4
Plant disease identification contests, 4:6, 35:1
Potato seed treatment with yellow oxide of mercury, New York, 6:21
Seed-potato treatments, 33:44

BARSS, H. P., AND HASKELL, R. J. Report of St. Louis conference, 22:12

Basic copper sulfate: See Fungicides.

Bean:

Disease losses reduced, Maryland, 24:39
Blight resistant kidney, New York, 8:37
Mosaic-resistant varieties, 18:82
Mosaic and root-rot curbed in California, 48:24
Rust-resistant Kentucky Wonder, 22:19; tested in Massachusetts, 30:54

Beet:

Seed treatment:

cooperative tests 1940, 44:1; in 1941, 47:5
in Rhode Island, 24:40

BERRYMAN, P. C. Jr. Seed cleaning and treating with portables, California, 16:66

BOERNER, E. G. Grades provided for blighted barley, 6:19

BONDE, REIMER Potato spray service, 15:55

Bordeaux mixture: See Fungicides.

BOYD, O. C.

Copper oxychloride treatment for melons in Massachusetts, 33:14
4-H Club work in Massachusetts, 42:34
Massachusetts fruit spray service, 7:25
Vegetable seed treatment, 17:9; increases in Massachusetts, 7:30
Rust resistance in pole beans, 30:54

Bulletins: See Publications.

Cabbage:

Resistant varieties in Colorado, 39:70; Illinois, 24:40; Indiana, 18:86;
Minnesota, 30:52; Virginia, 8:36
Seedbed sanitation, New York, 15:52
Seed source test, Wisconsin, 39:61
Seed treatment:
 cooperative tests in 1940, 40:1; 1941, 47:6
 in Indiana, 8:40; New York, 6:22; 18:79, 20:105, 21:3; Virginia, 24:41
Storage rots, control of, in Russia, 48:24
Tests for distinguishing yellows from black rot, 7:20

California:

Alfalfa disease problems, 38:53
Bean mosaic and root-rot curbed, 48:24
Cereal seed cleaning and treating by portables, 16:66, 23:36
County agent conference, 38:56
Fruit tree chlorosis, iron treatment for, 15:59
Tomato disease problems, 39:60

CAMPBELL, H. H.

Exhibit and clinic of plant diseases and pests, 15:54
Seed treatment for crucifers, New York, 20:105

Canada: potato ring rot, 40:3

Carnival: crops, Kansas, 12:17

Carrot: storage rot control as practiced in Russia, 48:24

CASE, W. M. Lime-sulfur, increases yields of Colorado potatoes, 18:83

Cauliflower:

Seed treatment, 18:79
Whip-tail control, 8:36

Celery:

Cooperative seed treatment tests, 1941, 47:7
Cracked stem, Florida, 24:41
Yellows-resistant varieties, Minnesota, 18:85, 30:52; New York, 46:35

Cereal:

Disease control problems, 1932, 1:6

Seed cleaning and treating portables, California, 16:66, 23:36

Illinois, 16:65, 23:28, 29:35, 34:29; Indiana, 11:16, 16:64, 23:25,
35:10, 46:36; Indiana and Illinois, 20:103, 26:11, 30:48, 34:29;

Maryland, 23:25; North Dakota, 16:65; Oklahoma 42:49, 46:36;

Pennsylvania, 23:26, 39:65; circular describing, Indiana, 29:44

Seed treating:

at elevators or other centers, Iowa, 23:30, 29:38; North Dakota 23:55;
Texas, 16:69; Virginia, 18:85

by seed company, Virginia, 16:66; Oklahoma, 34:28

campaign, 1935, Minnesota, 23:31

community, Nevada, 16:67; Utah, 16:68, Oklahoma, 34:28

discussed at Pittsburgh meeting APS, 17:4

recent developments and future trends, 37:41

Cherry: copper oxychloride spray for, 38:56

CHESTER, K. STARR. Hot-water seed-treating services for Oklahoma wheat
growers, 42:49, 46:36

Chlorosis, fruit tree, treated with iron, California, 15:59

CHUPP, CHARLES

Asparagus rust, 46:34

Cabbage seed-bed sanitation, 15:59

Cabbage seed treatment in New York, 6:22

Celery yellows, 46:35

Control of cauliflower whiptail by early liming, 8:36

Cucumber seed treatment, 32:12

Hot-water treatment of cabbage seed, 18:79

Kidney beans may resist blight, New York, 8:37

Potato spray ring agreement, New York, 36:16

Potato scab control program, New York, 32:9

Melon and cucumber disease control progress in New York, 38:52

Russian recipe for controlling storage rots, 48:24

Seed-borne vegetable diseases; 48:25

Spinach seed treatment, New York, 7:30

Sweet corn bacterial wilt control, 11:16

Test for distinguishing cabbage yellows from black rot, 7:30

Testing strength of formaldehyde solutions, New York, 29:39

The enemy bombards our vegetables, 48:24

Tomato plant bed, 48:23

Vegetable seed treatment, 18:79

Work with agricultural high schools and 4-H Clubs, 22:15

Work with 4-H Clubs, New York, 18:84

CHUPP, CHARLES, and PIROME, P. P.

Muskmelons resistant to Fusarium, New York, 24:42

Report on vegetable disease work in New York, 21:1

Circulars: See Publications.

Clinics: See Plant diseases.

Colorado:

Cabbage, yellows-resistant, 39:70
Cucumbers, trials with mosaic-resistant Shamrock, 30:50
Pea, control of powdery mildew with sulfur, 24:44
Pea seed treatment, 39:61
Potato, psyllid yellows, lime sulfur for, 18:83
Potato ring rot, method of control, 40:2
Sorghum seed treatment demonstrations, 46:30
Sorghum smut control, 39:66

Conference: See Meetings.

COOK, HAROLD T.

A metal box seed treater, 29:43
Spinach seed treatment, Virginia, 20:105
Tomato seed source demonstrations, Virginia, 1938, 36:22
Vegetable seed treatment chart, Virginia, 26:13
Vegetable seed treatment experiments and practices in Virginia, 29:36

Copper, red oxide: See Fungicides.

Corn:

Seed:
selection, Indiana, 7:31
testing, Indiana, 7:31
treatment, Iowa, 5:12; Colorado, 34:38

Cotton:

Seed treatment, 37:32; supplementary note, 38:64
demonstrations, Georgia, 30:53, North Carolina, 29:37
profitable in Georgia, 38:55
program, North Carolina, 32:11; South Carolina, 1938, 36:25
urged for long-staple varieties, 48:21
Diseases, extension work on, 42:38

County agents:

Plant disease schools for, 6:8
Ways in which specialist can help, 5:9

Cucurbits:

Basic copper sulfate as a spray for, Maryland, 24:41, 30:53.
Cooperative seed treatment tests, 1940, 44:1; 1941, 47:7
Copper oxychloride for melons in Massachusetts, 33:14
Cucumber mosaic, 33:21
Cucumber spraying and dusting demonstration, Pennsylvania, 39:61
Melon and cucumber and disease control in New York, 21:5, 38:52
Muskmelons resistant to Fusarium, New York, 34:42

Cucurbits, continued:

- Seed treatment, New York, 32:12
- Trial of mosaic resistant Shamrock cucumbers, 30:50
- Wilt-resistant varieties demonstrated, New York, 21:6

Cumberland-Shenandoah Fruit Conference; 25:10

DAWSON, C. R. Celery cracked stem control, Seminole County, Fla., 24:41

Delaware:

- Eleven years of wheat seed treatment, 23:37

Demonstrations:

- Do's and don'ts in, 30:46
- More valuable than lecture, 29:38

DENNISTON, L. T. Potato exposition, Pennsylvania, 4:7

DICKSON, J. G. Feeding scab infected and blighted barley to livestock, 20:101

DIETRICK, L. B. and COOK, HAROLD T.

- Tomato seed source demonstrations, Virginia, 22:17, 26:17

Dodder:

- Control in lespedeza, Kentucky, 8:33; South Carolina, 29:42

DURHAM, G. B. Spinach seed treatment, Rhode Island, 24:44

Dusters, hoods for, 15:57

DYKSTRA, T. P., et al. Report of Committee to Coordinate Research on New and Unusual Potato Diseases, 40:5

ELLIOTT, CHARLOTTE

- Present status of bacterial wilt of sweet corn, 11:19
- Transmission and overwintering of the wilt organism, 13:27

Exhibit: See Plant diseases.

Extension:

- Plant Pathologist list, 1937, 30:45; 1939, 38:46
- Plant pathology project, North Carolina, 24:31; Ohio, 39:65

Specialist:

- his job, 12:19
- essentials of a good, 46:29
- ten ways to help county agents, 5:9
- wartime responsibilities, 48:13

Service Review, 1:13

- plant pathologists in, 17:9

FENNE, S. B.

- Cottonseed treatment profitable, 38:55
- Georgia certified mountain-grown potatoes, 38:51
- Georgia farmers fight tobacco blue mold, 38:51

FERNOW, K. H.

- Causes for disqualification of potatoes entered for certification, 7:29

Film strips: See also Motion pictures.

- Sweetpotato diseases, 5:16
- Use of in Ohio, 4:3
- U.S.D.A., 1:12, 2:17, 15:59, 20:111

Florida:

- Control of celery cracked stem, 24:41

Forage crop diseases, 45:14

Forest products:

- Fungicide for control of fungus in, 22:21

Formaldehyde: See Fungicides.

4-H Club (s):

- Barley seed treatment demonstrations, 28:22
- Convention given spray demonstration, California, 38:55
- Extension pathologists discuss work with, 42:31
- Objectives of 28:20
- Grow certified potato seed, Maryland, 8:35, 28:24, 28:26
- Potato improvement work, Maryland, 2:21; Minnesota, 2:17
- Special number, Serial No: 28:20-32.
- Statistics, 1936, 28:21
- Sweetpotato work, Maryland, 28:26
- Teapotato demonstration of seed treatment, Georgia, 28:28; South Carolina, 35:3
- Texas club grows blight-resistant milo seed, 42:35
- Treat cottonseed, 28:25
- Weed project, Iowa, 28:27
- Work with, in Iowa, 28:27, Kansas, 28:24; Massachusetts, 42:34; New York, 18:24, 22:15, 22:22, 35:1; Virginia, 42:33

Fruit trees: See also under specific fruit.

- Chlorosis, iron treatment for, 15:59
- Spraying discussed at Pittsburgh APS meeting, 17:5

Fungicides: See also under specific disease and host.

Basic copper sulfate:

seed treatment for smut in winter wheat, Oregon, 30:47

spray for cantaloupes, Maryland, 30:53; for cucurbits, Maryland, 24:41

Bordeaux mixture:

for fire-blight control, North Carolina, 3:24; South Carolina, 12:23

instant, how to make, 2:16

lime in, Ohio, 18:86

plus oil, for peaches, 10:8

Copper oxychloride for melons, 33:14

Discussed at extension conference, Boston APS meeting, 10:1

Formaldehyde:

strength of, 29:38

test for strength of, 29:39

Insoluble copper, 34:30

Lists available, 1:14

Meeting the shortage, 48:16

Red copper oxide:

Used on beets, Rhode Island, 24:40; spinach, New York, 3:23, 7:30;

Pennsylvania, 18:85; Rhode Island, 24:44; Virginia, 20:105;

tomatoes, Maryland, 24:45; vegetables, New York, 21:1

Spergon, 48:16

Yellow oxide of mercury for potatoes, 6:21

Gardens:

relief, disease losses in, Pennsylvania, 18:85

GARDNER, A. K. Potato spray service, Maine, 20:104

GARDNER, JOHN S.

Potato seed treatment, Kentucky, 15:56

Sweetpotato seed treatment, Kentucky, 15:57, 18:84

Georgia:

Cottonseed treatment demonstrations, 30:53

Cottonseed treatment profitable, 38:55

4-H Club camps, 28:26; demonstrations on seed treatment, 28:28

Mountain-grown potatoes certified, 38:57

Oat seed treatment demonstration, 23:28

Peanut yields increased by use of sulfur dust, 33:21

Tobacco blue mold control, 38:51

Work with vocational agriculturo, 28:26

GODKIN, JAMES

Cabbage seed treatment, Virginia, 24:41

Cereal seed treatment, 18:85

Home growing of resistant cabbage seed, Virginia, 8:36

Tobacco disease control, Virginia, 3:25

GOODMAN, A. A.

Control of pea powdery mildew by sulfur, Colorado, 24:44

Grasses, diseases of, 45:21

GREGORY, C. T.

Corn seed testing, Indiana, 7:31
Illustrated radio lecture, Indiana, 3:22
Indiana florists install spraying equipment, 30:55
Plant disease movies, 5:15
Progress in controlling diseases of greenhouse tomatoes, 33:16
Sweet corn wilt control demonstrations, Indiana, 11:13
Tomato leafmold successfully controlled, 30:54

GROSS, D. L., with STEWART, P. H. Wilt resistant alfalfa, 18:81

GUBA, E. F. Downy mildew of tomatoes under glass in Massachusetts, 5:13

Gun, for placing dry salts in trees, 9:48

HASKELL, R. J.

Adjustments in plant disease control, 6:23
Agricultural adjustment and plant pathology, 10:3
Bacterial ring rot of potatoes, 36:18
Barley blight conference, 9:42
Conference on diseases of flue-cured tobacco, 14:38
Extension work on diseases of cotton and other southern crops, 42:36
Plant pathologists discuss extension work, 10:1
Progress in controlling plant diseases, 1914 to 1939, 43:43
Recent developments and future trends in cereal seed treatment, 37:41
Report of St. Louis conference (with H. P. Barss), 22:12
Seed company treats its seed grain, 16:66
Smutty wheat trends downward on Minneapolis market, 35:6
Ten ways extension specialists can help county agents, 5:9

HENDERSON, W. J.

Colorado agents start sorghum smut control, 39:66
Pea seed treatment encouraging in Colorado, 39:61
Sorghum seed treatment demonstrations in Colorado, 46:30
Yellows-resistant cabbage used in Colorado, 39:70

HENSEN, LAWRENCE. Alfalfa diseases, 45:14

HEUBERGER, J. W. Dipping sweetpotato sprouts, 15:57

HOEFLING, A. M. Cereal seed cleaning and treating by portables, California, 23:36

HORSFALL, J. G. Vegetable seed treatment, 37:26

HORSFALL, J. G., and NEWHALL, A. G. Spinach seed treatment, New York, 3:23

HUDSON, J. D. Cereal seed treatment by elevators, Texas, 16:69

HUMPHREY, J. E. Some essentials of a good extension specialist, 46:29

HUNTER, H. A.

Bean disease losses reduced, Maryland, 24:39
Late sweet corn used in Maryland, 11:15
Maryland certified tomato seed, 10:7, 17:6
Tomato seed treatment with red copper oxide, Maryland, 24:45

Illinois:

Cabbage, yellows-resistant, 24:40
Cereal seed cleaning and treating by portables, 16:65, 23:28, 26:11,
29:35, 34:29

Implements:

Dust hoods, 15:57
Gun for placing dry salts in trees, 9:48
Plant pathologist's trowel, 9:45
Projection screen, 15:61
Wall frame for displaying posters, 3:28
Wheel shields for tomato spray rigs, 48:23
Index: Nos. 1 to 30, 31:1

Indiana:

Bordeaux plus oil for peach spray, 10:8

Cereals:

seed cleaning and treating by portables, 16:62, 20:103, 23:25, 29,
26:11
seed-cleaning units, 11:16
seed treating, 1940, 46:36

Circular on portable seed cleaning and treating equipment, 29:44

Corn:

seed selection, 18:85
seed testing, 7:31

Florists install spraying equipment, 30:55

Greenhouses:

soil sterilization in, 18:86
tomato leafmold successfully controlled in, 30:54
progress in controlling diseases of tomatoes in, 33:14

Illustrated radio lecture, 3:23

Sweet corn wilt control demonstrations, 11:13

Tomato mosaic, 1:11

Plant disease movies, 5:15

Yellows-resistant cabbage, 18:86

Wheat seed cleaned in southern Indiana, 34:29, 35:10

Iowa:

Cereal seed treatment at central stations, 23:30, 29:38

Corn seed treatment, 5:12

4-H Club weed control project, 28:27

Watermelon:

demonstration plots, 30:49
wilt-resistant, 1932, 3:27

JACKMAN, E. R.

Acroage of smut-resistant wheats, 22:20
The specialist's job, 12:19

JEHLE, R. A.

Basic copper sulfate for cucurbits, Maryland, 24:41; for cantaloups, 30:53
4-H Club boys grow certified potato seed, Maryland, 2:21, 2:35, 28:24

JOHNSON, A. G. Cereal disease problems, 1:6

JONES, F. R., and JOHNSON, H. W.

Suggestions for those taking notes on diseases in alfalfa nurseries, 45:24

Kansas:

4-H Club work, 28:34

Potato improvement, 7:27, 18:25

Seed-treatment results, 29:43, 30:52, 33:13

Tests showing formaldehyde should be full strength, 29:33

Value of vegetable disease control, 7:28

Wilt-resistant watermelons, 39:60

Winter crops carnival, 12:17

KEITT, G. W. Epidemiology of fire-blight of apples and pears, 41:25

KENNEY, Ralph. Dodder control in Kentucky, 8:33

Kentucky:

Dodder control, 8:33

Potato seed treatment demonstrations, 15:56

Red raspberry spraying, 18:34

Sweetpotato seed treatment, 15:57, 18:34

KIRBY, R. S.

Apple spray service, 15:53, 12:58

Making lantern slides, 6:17

Percentage apple scab occurring when different sprays are omitted, 33:22

Seed company improves quality of seed grain, 39:65

Spinach seed treatment, 13:25

Sulfur dust for peaches, Pennsylvania, 3:28

Report of conference, New York and Pennsylvania plant pathologists, 34:23

Tomato improvement, Pennsylvania, 24:40

Wheat smut situation, Pennsylvania, 7:31

KIRBY, R. S., and ZUNDEL, G. L. Pennsylvania fruit spray service, 7:26

LAIBLE, R. J. Yellow-resistant cabbage, McLean County, Ill., 24:40

Lantern slides: See also Film strips, Notion pictures.

Making, 6:17

Kodachrome viewer, 43:53

LARRIMER, W. E. Work on possible insect vectors of bacterial wilt of sweet corn, 15:26

LAUER, K. S. Tomato seed certification, 17:7

LAYTON, D. V. Wilt-resistant watermelons, Iowa, 3:27

LEHMAN, S. G. Cottonseed treatment, 37:37, 39:64

LEKER, E. H.

Potato improvement in Kansas, 7:27, 18:35

Winter crops carnival, Kansas, 12:17

Lettuce:

Bottom rot losses and treatment, New York, 8:40

Cooperative seed-treatment tests, 1941, 47:8

LEWIS, DAN. 4-H teams demonstrate seed treatment, 35:3

LINDGREN, R. M. Fungicides for the control of fungus deterioration of forest products, 22:21

LOWERY, J. C. Mosaic-resistant sugar cane, 18:81

Machines: See also under Cereals and Implements.

Dusters, hoods for, 15:57

Minnesota seed grain treater, 26:13; made by Welles Club Toy Shop, 43:52

Quotas for sprayers and dusters, 48:17

Wheel shields for tomato spray rigs, 48:23

MAGILL, W. W. Red raspberry spraying, 18:84

Maine, potato spray service, 15:55, 20:104

MALONEY, PAUL L. Cereal seed treatment, Nevada, 15:68

Maryland:

Barley seed treatment, 2:17

Basic copper sulfate for cucurbits, 24:41; as a spray for cantaloups, 30:53

Bean disease losses reduced, 24:39

Cereal seed cleaning and treating by portables, 23:25

Dipping sweetpotato sprouts, 15:57

4-H Clubs:

grow certified potato seed, 8:35

potato improvement work, 2:21

work with sweetpotatoes, 28:26

Late varieties of sweet corn used, 11:15

Tomato:

seed certification, 10:7, 17:6

seed treatment, red copper oxide, 24:45

Massachusetts:

Apple pest eradication by CWA, 10:5

Copper oxychloride for melons, 33:14

Downy mildew of tomatoes under glass, 5:13

4-H Club leaflet, 28:27

4-H Club plant pathology project, 42:34

90 percent clean apple club, 12:22

Massachusetts, continued

Rust resistance in pole beans, 30:54

Spray service, 7:35

Vegetable seed treatment, 7:30, 17:9

McMULLAN, T. L. Oat seed treatment demonstrations, Georgia, 23:28

McWHORTER, O. T. Cost of handling cull apples, Oregon, 9:47

McWHORTER, O. T., and ZELLER, S. M. Oregon certifies strawberry plants, 9:47

MEETING (s):

American Phytopathological Society

New Orleans, 1931, 1:3

Atlantic City, 1932, 3:22, 4:1

Boston, 1933, extension pathologists discuss extension work, 9:41, 10:1

Pittsburgh, 1934, 17:1

St. Louis, 1935, 22:12

Atlantic City, 1936, 25:1

Indianapolis, 1937, 32:2

Richmond, 1938, gleanings of papers presented, 35:11, 38:46

Columbus, 1939, report of conference on fire blight, 41:13

extension pathologists conference on 4-H Club work, 42:31

Midwestern pathologists, summer 1936, 24:48

Conference:

barley blight control, Iowa, 1933, 9:42

barley improvement, St. Paul, 19:37

bacterial wilt of sweet corn, Mineola, N. Y., 13:25

Cumberland-Shenandoah Fruit, 1936, 25:10

diseases of flue-cured tobacco, Oxford, N. C., 14:32

extension pathologists from New York and Pennsylvania, 1938, 34:23

plant diseases, for county agents, Calif., 38:56

wilt diseases, Dallas, 1941, 48:18

Barley improvement, Wisconsin, 12:22; Minnesota, 12:22

Tobacco, Virginia, 12:21, Tennessee, 39:66

MESSER, C. L. Jr. Onion seed treatment, Cayuga County, N. Y., 24:43

METZGER, C. H., and BINKLEY, A. M.

Some evidence on the spread of potato ring rot, 40:2

METZGER, C. H., and GLICK, D. P.

Promising method of eliminating potato ring rot, 40:2

Michigan:

Cereal seed treatment demonstrations, 29:38

Onion growers profit by seed and soil treatment, 30:53

Potato spraying work, 30:50

School for fungicide and insecticide dealers, 24:46

MILLER, E. A. Texas 4-H Club boys grow blight-resistant milo seed 42:55

MILLER, J. O.

4-H Club work, Kansas, 28:25
Formaldehyde should be full strength, 29:38
Potato seed treatment results, 29:43, 33:13
Wilt-resistant watermelons, 39:60

MILLS, W. D. Apple spray tests, New York, 6:20

Milo:

Blight-resistant, 34:27
Root-rot resistant, 34:27

Minnesota:

Barley meetings, 12:22
Cereal seed treating campaign, 1935, 23:31
4-H Club work on potato seed improvement, 2:17
Seed grain treater, 26:13; made by Welles Club Toy Shop, 43:52
Yellows-resistant cabbage, 30:52
Yellows-resistant celery, 18:85, 30:52

MONTEITH, JOHN, Jr. Diseases of turf and forage grasses, 45:21

MOORE, M. B. Minnesota seed grain treater, 26:13

Motion pictures: See also Film strips, Lantern slides.

Essential characteristics, 5:15

"An evil alliance--bark beetles and blue stain," Minn. 20:111

MUNCIE, J. H.

Onion growers profit by seed and soil treatment, 30:53
Potato spraying work in Michigan, 30:50
Schools for fungicide and insecticide dealers, 24:46

Muskmelon: See Cucurbits.

MUSSER, A. M. Apple blight control, South Carolina, 12:23

Nobraske: Wilt-resistant alfalfa, 18:81

NELSON, R. L. Cereal seed treatment by elevators, North Dakota, 23:35

NETTLES, W. C. Control of dodder in lespedeza, 29:42

Nevada: Cereal seed treatment, 15:68

New Jersey:

Dipping sweetpotato sprouts, 15:56
Hoods for dusters, 15:57

New York:

Apple spray tests, 6:20
Cabbage seed-bed sanitation, 15:58
Cabbage seed treatment, 6:22
Cauliflower whiptail, control by liming, 8:36
Causes for disqualification of potatoes entered for certification, 7:29
Changes in potato spray recommendations, 7:26
Control of bacterial wilt of sweet corn, 11:16
Cucumber mosaic, 33:21
4-H Club work, 18:84
4-H Club and agricultural high school work, 22:15, 28:22
Hot-water treatment of cabbage seed, 18:79
Kidney beans may resist blight, 8:37
Melon and cucumber disease control, 38:52
Message from, 1:4
Muskmelon resistant to Fusarium, 24:42
Oat and barley seed treatment, 20:102
Oil spray for tomato blossom end rot, 24:45
Onion seed treatment, New York, 24:43
Pea seed treatment with red oxide of copper, 33:22
Plant disease exhibit, Nassau County, 15:54
Plant disease identification contests, 4:6, 35:1
Potato scab program, 32:9
Potato seed treatments, 33:13
Potato seed treatment with yellow oxide of mercury, 6:21
Potato spray rings, 7:29, 36:16, 39:69, cost of, 46:34
Seed treatment of crucifers, 20:105
Spinach seed treatment, 3:23, 7:30
Testing strengths of formaldehyde solutions, 29:39
Tomato damping-off control, 34:31
Tomato seed certification, 33:21
Vegetable disease work, 1935, 21:1
Vegetable seed treatment, 18:79, 39:53

NISSLEY, C. H.

Dipping sweetpotato sprouts, 15:36
Dusting hoods reduce dusting costs, 15:57

NISWONGER, H. R. Apple blight control, North Carolina, 3:24

North Carolina:

Apple blight control, 3:24
Cottonseed treatment, 29:37, 32:11
Dusting peanuts, 33:19
Extension project in plant pathology, 1939, 34:31
Increased income through disease control, 33:18, 33:19
Liquid preservation for plant specimens, 4:4

North Dakota: Cereal seed treating by elevators, 23:35

Oat:

Bannock, smut-resistant variety, 33:17
Disease-resistant varieties, 39:70, 48:25
Seed treatment, Ohio, 2:18, Georgia, 23:23, Pennsylvania, 12:24
Seed treatment of resistant varieties, 18:81

Ohio:

Apple fruit spot control, 3:23
Apple spray tests, 6:20
Examination for use at insect-and disease-control school, 9:46
Examination of apple leaves for scab fungus in connection
with spray service, 32:6
Extension work, 39:65
Fruit growers' schools, 15:58
Golden Cross sweet corn, 11:13
Insoluble copper fungicides, 34:30
Oat seed treatment with formaldehyde dust, 2:18
Plant disease schools for county agents, 6:18
Report of conference on fire blight of apples and pears, 41:13
Spray service, 18:85
Sweet corn bacterial wilt, 18:82
Use of film strips, 4:3
Wheat seed treatment, value of, 18:84

Oklahoma:

Elevator seed conditioning plant, 34:28
Hot-water seed-treating service for loose smut of wheat and
barley, 43:49, in 1941, 46:36

Onion:

Growers profit by seed and soil treatment, Mich., 30:53
Seed treatment, New York, 24:43

Oregon:

Acreage smut-resistant wheats, 22:20, 33:18
Certified strawberry plants, 9:47
Cost of handling cull apples, 9:47

Ornamentals:

Disease control, 10:5

OZLIN, H. W. Sweetpotato improvement, Princess Anne Company, Va., 24:39

Pea:

Austrian winter, diseases of, 45:18
Powdery mildew control with sulphur, Colorado 24:44
Seed treatment in Colorado, 24:44, 33:31, with red oxide of copper in
New York, 33:22
cooperative tests, 1940, 44:1; 1941, 47:8

Peach:

Crown gall control by calomel dip, 43:51
Sulfur dust increases keeping quality, Pennsylvania, 3:28
Leaf curl and scale control, Indiana, 10:8

Peanut:

Diseases, extension work on, 42:41
Gains from dusting, North Carolina, 33:19; Georgia, 33:21

Pear:

Fire blight, 41:13; epidemiology, 41:25

Pennsylvania:

Apple spray service, 15:58, 18:85
Barley seed treatment, 15:59
Cereal seed cleaning and treating by portables, 23:26, 39:65
Cherry spray demonstrations, 38:56
Cucumber spraying and dusting demonstration, 39:61
Potato:
 expositions, 4:7
 improvement, 7:28, 12:24
 scab, extension work on, 38:54
 spraying, 39:63
Spinach seed treatment, 18:85
Spray service, 7:26
Sweet corn, success with Golden Cross, 11:14
Sulfur dust for peaches, 3:28
Tomato improvement, 24:46
 seed certification, 17:7
Wheat smut situation, 7:31

Pepper:

Ring spot disease, 21:8

Personnel Notes: 34:26, 35:4, 9, 43:53, 48:26

Photographs, colored enlargements, 4:5

PIERCE, LESLIE Bordeaux oil for peach spray, 10:8

PIERSTORFF, A. L.

Apple spray tests, Ohio, 6:20
Collapsible daylight screen (diagram), 15:61
Colored photographic enlargements, 4:5
Examination for use at insect and disease school, 9:46
Fruit growers' schools, Ohio, 15:58
Golden Cross sweet corn, Ohio, 11:13
June spray control apple fruit spot, 3:23
Oat seed treatment, formaldehyde dust, Ohio, 2:13
Plant-disease schools for county agents, 6:18
Sweet corn bacterial wilt, 18:82
Use of film strips in Ohio, 4:3
Value of wheat seed treatment, 18:84

Pine, Norway, blue stain motion picture, 20:111

PIRCHE, P. P.

Oil spray for tomato blossom-end rot, New York, 24:45

Seed treatment of crucifers, New York, 20:105

Notes on Conference of Extension Plant Pathologists, Pittsburgh, 17:1

Plant disease(s):

Clinics, Wisconsin, 2:15, 5:11

Control:

adjustments in, 6:23

in southern crops, extension work on, 42:31

in relation to present agricultural problems, 42:42

increases income in North Carolina, 35:18

measured in dollars and cents, 29:43

practices, number of farmers following, 20:100

progress, 12:24; from 1914 to 1939, 47:43

short course for canners, Wisconsin, 59:59

Exhibit and clinic, Nassau Company, New York, 15:54

Identification contests, New York, 4:6, 18:84, 22:16, 35:1

Movies, 5:15

Posters, colored, 2:16, 8:40, 20:112; wall frame for, 3:28

Schools for county agents, 6:8

POOLE, R. F. Liquid preservative for plant specimens, 4:4

PORTER, R. H.

Cereal seed treatment, Iowa, 29:38

Corn seed treatment, Iowa, 5:12

4-H Clubs and weed control work, 28:27

Large-scale cereal seed treating, Iowa, 23:30

Watermelon demonstration plots, 30:49

Potato:

Certified seed:

causes for disqualification, New York, 1932, 7:29

4-H Club work, 8:35

general, 43:45

Georgia mountain-grown, 38:57

production, 22:18; approaches record 1941, 48:22

Diseases:

extension work on, in South, 42:41

report of committee to coordinate research on new and unusual, 40:5

Expositions, Pennsylvania, 4:7

Improvement:

Kansas, 7:27, 18:85; Pennsylvania, 7:28, 12:24

4-H Club work on, Maryland, 2:21; Minnesota, 2:17

Late blight, Wisconsin, 34:34

Psyllid yellows, use of lime sulfur for, Colorado, 18:83

Ring rot, 36:18; report on, 40:12; in the United States, a Canadian's viewpoint, 48:20

Potato, continued:

Seed treating:

demonstrations, Kentucky, 15:56; in New York, 33:13
discussed at Pittsburgh, 17:1
leaflet on, 3:28
methods, Minnesota, 29:44
results in Kansas, 29:43, 30:31, 33:13
with yellow oxide of mercury

Sprayer

recommendations, New York, 1933, 7:26
rings, New York, 7:29, 32:6, 56:16; cost of 20, 1934-38, 46:34
service in Maine, 15:55; 20:14
work in Michigan, 30:54; in Pennsylvania, 39:63; in New York, 39:69

Scab:

program in New York, 32:9
extension work on, in Pennsylvania, 42:41
Scurf removed with chloride of lime solution, 48:21
Unfit for food or seed, 1:5

Preservative, liquid, for plant specimens, 4:4

Projection screen, collapsible, home-made, 15:61

Publications: 2:19, 7:32, 15:60, 61, 22:20

Question box: 1:14, 2:18

Radio:

Illustrated lectures, Indiana, 3:22
Handbook, 39:73

RANKIN, H. W. Cottonseed treatment demonstrations, 30:53
Sulfur dust increases peanut yields in Georgia, 37:21

Raspberry, spraying, Kentucky, 18:84

Red cedar, eradication, West Virginia, 11:16

Rhode Island:

Beet seed treatment, 24:40
Spinach seed treatment, 24:44

RIGGS, O. B. Cereal seed treatment by portables in Posey County, Ind., 23:29

ROSE, R. C.

Cereal seed treating campaign, 1935, 23:31
Potato seed improvement, 4-H Clubs, 2:17
Yellows-resistant cabbage, 30:52
Yellows-resistant celery, 18:85, 30:52

RUNNELS, H. A. Examination of apple leaves to determine development
of scab fungus, 32:6

RUNNELS, H. A., and WILSON, J. D. Insoluble copper fungicides, 34:30

Schools:

Canners' short course, Wisconsin, 39:59
Commercial gardeners, Wisconsin, 5:13
Extension, examination for use at, Ohio, 9:46
Fruit growers, Ohio, 15:58
Fungicide and insecticide dealers, Michigan, 24:46
Dr. Gregory's 1-day school for growers, 46:37
Plant disease, for county agents, Ohio, 6:18

SCOTT, C. E.

California tomato disease problems, 39:60
County planning groups mention alfalfa disease as a problem, 38:53
Gun for placing dry salts in trees, 9:48
Iron treatment for fruit tree chlorosis, 15:59
Plant disease conference for county agents, 38:56
Plant pathologist's trowel, 9:45

Seed: See specific crop.

SHAPOVALOV, MICHAEL, and others. Tomato yields in Utah are increased by close spacing, 46:33

SHAW, LUTHER

Cottonseed treatment program in North Carolina, 32:11
Gains from dusting peanuts in North Carolina, 33:19
Outline of extension projects in plant pathology, North Carolina, 34:31
Value of cottonseed treatment in improving stands, North Carolina, 29:37

SHERWOOD, E. C.

Fruit spray service, West Virginia, 8:37
Red cedar eradication, West Virginia, 11:16

SIEGLER, E. A., and BOWMAN, J. J. Experimental control of crown gall in the peach nursery by calomel dip, 43:51

SINGLETON, W. RALPH Breeding sweet corn for resistance to bacterial wilt, 13:27

SKIVER, C. E.

Cereal seed cleaning and treating by portable, 16:62, 20:103,
26:11, 30:48, 35:10
Circular on portable seed cleaning and treating equipment, 29:44

SMITH, A. E. Sweet corn resistant to bacterial wilt, 6:18

SMITH, C. B. 34:31

Soil sterilization in greenhouses, Indiana, 18:86

Sorghum:

Kernel smut, Kansas, 8:40
Seed treatment demonstrations in Colorado, 46:30
Smut control in Colorado, 39:69

South Carolina:

Apple blight control, 12:23
Control of dodder in lespedeza, 29:42
Cottonseed treatment, 36:25
4-H Club boys treat barley seed, 28:22; treat cottonseed in Florence
County, 28:25; demonstrate seed treatment at National 4-H Congress,
Chicago, 35:3

Specimens, liquid preservative for, 4:4

Spergon: See Fungicides.

Spinach:

Seed treatment, New York, 3:23, 7:30; Pennsylvania, 18:85
Rhode Island, 24:44; Virginia, 20:105; cooperative tests, 1940,
44:1; 1941, 47:9
Seed treater, 29:43

Squash:

Curly-top resistant variety, 48:25

SPRAGUE, RODERICK. Basic copper sulfate as a seed treatment for
controlling seed-borne smut in winter wheat, Oregon, 30:47

Spray: See also specific crop.

Injury, conference, Atlantic City, 1936, 25:1
Service, Massachusetts, 7:25, 32:6, Pennsylvania, 7:26, 15:58, 18:85;
West Virginia, 8:37, 12:24; potatoes, Maine, 15:55; Ohio, 18:85

STANTON, T. R. Smut-resistant variety of oat, 33:17. Disease-resistant
oat varieties, 39:70

STEWART, F. C. Earlier work on bacterial wilt of sweet corn, 13:25

STEWART, P. H., and GROSS, D. L. Wilt-resistant alfalfa, 18:81

Strawberry, certified plants, Oregon, 9:47

Sugarcane:

Mosaic-resistant varieties, Alabama, 12:24, 18:81

Sweet corn:

Bacterial wilt

control demonstrations, Indiana, 11:13; New York, 11:16, 21:4;
Ohio, 18:22

conference on, Mineola, N. Y., 13:25

present status of (1934), 11:9

preventing occurrence of, 31:11

resistant Golden Cross Bantam, 6:18; in Ohio, 11:13; in Pennsylvania,
11:14; sources of seed, 11:12

Cooperative seed-treatment tests, 1941, 47:10

Late varieties used in Maryland, 11:15

Sweetpotato:

Dipping sprouts, Maryland, 15:57, New Jersey, 15:56

Dipping in borer control soft rot, 43:33

Film strip of disease control, 5:16

Improvement, Virginia, 24:39

Seed treatment, Kentucky, 15:57, 18:84

Texas:

Cereal seed treatment by elevators, 16:39

4-H Club boys grow blight-resistant milo seed, 42:35

THIES, W. H. 90 percent clean apple club, 12:22

TILLMAN, B. W. Seed wheat cleaning, Illinois, 29:35

Tobacco:

Blue mold control, 1:12, 48:19, in Georgia, 58:51

Conference on diseases of flue-cured, Oxford, N.C., 14:38

Diseases:

control, Virginia, 3:25; meetings, Virginia, 12:21

extension work on, in South, 42:40

Virus diseases, report of Committee of the Tobacco Disease Council, 27:30

Tomato:

Blossom-end rot, oil spray for, New York 21:7, 24:45

British ruling on production, 48:22

Damping-off control, 34:31

Disease:

control, New York, 21:7

problems in California, 39:36

control progress in greenhouses, 33:14

Downy mildew, under glass, 5:13

Improvement, Pennsylvania, 34:46

Leafmold successfully controlled, Indiana, 30:54

Mosaic, Indiana, 1:11

Pan America, Fusarium wilt resistant, 48:25

Plant beds, 43:23

Seed:

certification, Maryland, 10:7, 17:6; New York, 21:4, 33:21;

Pennsylvania, 17:7

source demonstrations, Virginia, 22:17, 26:17, 36:22

treatment, cooperative tests, 1940, 44:1; with red copper oxide, Maryland,
24:45

Spray rigs, wheel shields for, 48:23

Yield in Utah increased by close spacing, 46:33

Trowel, plant pathologist's, 9:45

TUCKER, JOHN. A Canadian's viewpoint on potato bacterial ring rot in the United States, 48:20

Turf, diseases of, 45:21

Utah:

Centralized seed treatment of cereals in Juab County, 16:68

Tomato yields increased by closer spacing, 46:33

VAUGHAN, R. E.

Barley seed treatment with hot water, Wisconsin, 29:44

Plant-disease clinics, 2:15

Study course for commercial gardeners, Wisconsin, 5:13

Vegetable-disease clinics, 5:11

Wilt-resistant canning peas, 34:29

Work with canners, 39:59

Yellows-resistant cabbage seed source test, 39:62

Vegetable:

Disease:

clinics, Wisconsin, 5:11

control, 48:25

in the South, 42:41

work in New York, 1935, 21:1

Seed treatment:

chart, New York, 21:8; Virginia, 26:18

cooperative tests 1940, 44:1; 1941, 47:1

discussed at Pittsburgh meeting, 17:3

experiments and practices in Virginia, 29:36

in Massachusetts, 7:30, 17:9; New York, 18:79, 37:26, 39:58

Sprays, insoluble copper, 34:30

Vetches, diseases of, 45:18

Virginia:

Cabbage:

seed treatment, 24:41

home-grown, wilt-resistant seed, 8:26

Cereal seed treatment, 24:41

Metal box seed treater, 29:43

4-H Club project in entomology and plant pathology, 42:33

Spinach seed treatment, 20:105

Sweetpotato improvement, 24:39

Tobacco:

disease control, 3:25

meetings, 12:21

Tomato seed source demonstrations, 22:17, 26:17, 36:22

Vegetable seed treatment, 29:36; chart, 26:18

War Emergency Committee APS formed, 48:14

Watermelon:

Wilt-resistant varieties, Iowa, 3:27; Kansas, 39:60; demonstration plots, Iowa, 30:49

WEIMER, J. L.

Diseases of Austrian winter peas and vetches, 45:18

WEINER, E. A. Demonstrations more valuable than lectures, 29:33

West Virginia:

Apple spray service, 12:24

Fruit spray service, 8:37

Red cedar eradication, 11:16

Wheat:

Diseases affect quality, 1938 crop, 35:7

Loose smut, seed treatment for, in Oklahoma, 43:49

Seed cleaning and treating portables—see Cereals.

Seed treatment, Delaware, 23:27; Kansas, 8:40; value of, in Ohio, 18:84 with basic copper sulfate, 30:47

Smut:

discounts on market, 1:8; in Pennsylvania, 7:31

increases in Northwestern States 1940, 43:48

map showing origin of, 1935, 23:38; 1938, 39:72

resistant variety acreage, Oregon, 22:20, 33:18

receipts, Minnesota, 9:41

situation, 1932, 3:26

yielding to control measures in Pacific Northwest, 29:33, 35:4; on Minneapolis market, 35:6

WHEELER, H. C. Cereal seed treatment by portables in Lawrence County, Ill., 23:28

WHITE, R. P. Place of control of diseases of ornamentals, 10:5

WHITLOCK, B. W. Smutty wheat receipts continue to decline, 35:4

WICKARD, CLAUDE R. Wartime responsibilities, 48:13

WILSON, J. C., and RUNNELS, H. A. Insoluble copper fungicides give promising results, 34:30

WILSON, M. C.

Farmers following disease-control practices, 20:100

4-H Club statistics, 1936, 28:21

WILSON, RUSSELL E. Eleven years of wheat seed treatment, Delaware, 23:27

Wilt diseases, conference on, 48:18

Wisconsin:

Barley meetings, 12:22
Barley seed treatment with hot water, 29:44
Plant disease clinics, 2:15
Study course for commercial gardeners, 5:13
Vegetable disease clinics, 5:11
Wilt-resistant canning peas, 34:29
Work with canners, 39:59
Yellows-resistant cabbage seed source test, 39:62

Wood: See Forest products.

Wyoming, potato ring rot, 40:2

ZELLER, S. M. Oregon certifies strawberry plants, 9:47

ZUNDEL, G. L., and KIRBY, R. S. Pennsylvania fruit spray service, 7:26

